


CANTON LOCAL AIR AGENCY
JURISDICTION MAP



2016 STARK COUNTY, CANTON LOCAL AIR AGENCY SITES



Map/AQS #	Site Name	PM _{2.5}	PM _{CONT.}	PM ₁₀	O ₃	CO	NO ₂	TOXICS	PM _{2.5} CSPE	Pb/metals
1. 39-151-0016	Malone University				X					
2. 39-151-0017	FS #8	X*							X	
3. 39-151-0020	Health Department	X	X			X				
4. 39-151-0022	Brewster				X					
5. 39-151-4005	Alliance				X					

*designated and collocated monitors

Site Name: Malone UniversityAQS Site ID: **39-151-0016**

Agency: Canton City Health Department Air Pollution Control

Primary QA Org.: Canton City Health Dept., Air Pollution Control

MSA: Canton-Massillon

Address: 515 25th St. N.W., Canton 44709

Latitude: 40.828052

Longitude: -81.37833



Site description: This is an ozone SLAMS site located two miles north of downtown Canton. This instrument is located in a monitoring shelter on the campus of Malone College now called Malone University. This is an urban and center city impact site for sampling hourly ozone. Land use is considered commercial. This is an area wide source ozone monitoring.

Monitoring objective and spatial scale: Monitoring Objective: Population Exposure; Spatial Scale: Neighborhood. To determine compliance with and/or progress made toward meeting ambient air quality standards and to denote the change of ozone impact from center city, urban area to the suburban and rural areas beyond the city of Canton.

Ambient Air Quality Monitors

Parameter	Currently Operating	Collection Method	Operating Schedule	Monitor Start Date	Proposed Change
PM _{2.5} FRM	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Continuous	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Speciation	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
O ₃	<input checked="" type="checkbox"/>	047	Hourly	5/1/1981	<input type="checkbox"/>
PM ₁₀	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
SO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
CO	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Pb	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
TSP	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NCORE	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Air Toxics	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Meteorology	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Other(AQI)	<input checked="" type="checkbox"/>	NA	NA		<input type="checkbox"/>

* Method codes are from the EPA Air Quality Database (AQS). Further description can be found in the appendix of the network review or at: (<http://www.epa.gov/ttn/airs/airsaqs/manuals/codedescs.htm>).

Description of any proposed changes:

Quality Assurance

Siting and operation of each monitor meets the requirements of appendices A, C, D, and E of 40 CFR Part 58

Comments:

Site Name: Firestation No. 8AQS Site ID: **39-151-0017**

Agency: Canton City Health Department Air Pollution Control

Primary QA Org.: Canton City Health Dept., Air Pollution Control

MSA: Canton-Massillon

Address: 1330 Dueber Ave. SW Canton 44706

Latitude: 40.78689

Longitude: -81.39419



Site description: This is a source oriented SLAMS FRM PM_{2.5} site located near the Canton Timken plant in SW Canton. The instruments are located on the roof of Canton's Firestation House No. 8. The site has also a PM_{2.5} chemical speciation monitor and a elemental carbon URG monitor. This is a suburban location setting and the land use is considered industrial/residential.

Monitoring objective and spatial scale: Monitoring Objective: Population Exposure; Spatial Scale: Neighborhood. To determine compliance with and/or progress made toward meeting ambient air quality standards and to determine speciation components of PM_{2.5} concentrations.

Ambient Air Quality Monitors

Parameter	Currently Operating	Collection Method	Operating Schedule	Monitor Start Date	Proposed Change
PM _{2.5} FRM	<input checked="" type="checkbox"/>	142	1:3	1/3/1999	<input type="checkbox"/>
PM _{2.5} Continuous	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Speciation	<input checked="" type="checkbox"/>	SASS	1:6	7/30/2001	<input type="checkbox"/>
O ₃	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM ₁₀	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
SO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
CO	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Pb/Metals	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
TSP	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NCORE	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Air Toxics	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Meteorology	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Other	<input checked="" type="checkbox"/>	carbon URG	1:6	11/16/2009	<input checked="" type="checkbox"/>

* Method codes are from the EPA Air Quality Database (AQS). Further description can be found in the appendix of the network review or at: (<http://www.epa.gov/ttn/airs/airsaqs/manuals/codedescs.htm>).

Description of any proposed changes:

Quality Assurance

Siting and operation of each monitor meets the requirements of appendices A, C, D, and E of 40 CFR Part 58

Comments: Collocated FRM PM_{2.5} monitor samples every sixth day.

Site Name: Canton Health Dept.AQS Site ID: **39-151-0020**

Agency: Canton City Health Department Air Pollution Control

Primary QA Org.: Canton City Health Dept., Air Pollution Control

MSA: Canton-Massillon

Address: 420 Market Avenue N, Canton 44702

Latitude: 40.800778

Longitude: -81.373044



Site description: This is a center city population oriented SLAMS FRM PM_{2.5} and Carbon Monoxide site located in downtown Canton. This site has PM_{2.5} FRM and hourly monitors located on the roof of the Canton Health Dept. There is also a street canyon CO monitor situated on the second floor of the building. The land use is commercial.

Monitoring objective and spatial scale: Monitoring Objective: Population Exposure; Spatial Scale: Neighborhood for PM_{2.5} and microscale for the CO monitor. To determine compliance with and/or progress made toward meeting ambient air quality standards.

Ambient Air Quality Monitors

Parameter	Currently Operating	Collection Method	Operating Schedule	Monitor Start Date	Proposed Change
PM _{2.5} FRM	<input checked="" type="checkbox"/>	142	1:3	1/3/1999	<input type="checkbox"/>
PM _{2.5} Continuous	<input checked="" type="checkbox"/>	701	Hourly	1/19/2002	<input checked="" type="checkbox"/>
PM _{2.5} Speciation	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
O ₃	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM ₁₀	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
SO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
CO	<input checked="" type="checkbox"/>	054	Hourly	1/27/1993	<input type="checkbox"/>
Pb	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
TSP	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Metals	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Air Toxics	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Meteorology	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Other(AQI)	<input checked="" type="checkbox"/>	NA	NA		<input type="checkbox"/>

* Method codes are from the EPA Air Quality Database (AQS). Further description can be found in the appendix of the network review or at: (<http://www.epa.gov/ttn/airs/airsaqs/manuals/codedescs.htm>).

Description of any proposed changes: In 2016, collection method 701 was discontinued and replaced with collection method 184 (Thermo SHARP 5030i)

Quality Assurance

Siting and operation of each monitor meets the requirements of appendices A, C, D, and E of 40 CFR Part 58

Comments:

Site Name: BrewsterAQS Site ID: **39-151-0022**

Agency: Canton City Health Department Air Pollution Control

Primary QA Org.: Canton City Health Dept., Air Pollution Control

MSA: Canton-Massillon

Address: 45 S. Wabash Ave., S.R.83, Brewster 44613

Latitude: 40.7127

Longitude: -81.5983



Site description: This is an upwind SLAMS ozone monitoring site for the Canton urban area located 12 miles southwest of Canton. The site is located in the town of Brewster at the WANDLE building just off SR 83. This location setting is basically rural/ suburban and the land use is residential.

Monitoring objective and spatial scale: Monitoring Objective: Population Exposure; Spatial Scale: Urban. To determine upwind background concentration for the Canton urban area.

Ambient Air Quality Monitors

Parameter	Currently Operating	Collection Method	Operating Schedule	Monitor Start Date	Proposed Change
PM _{2.5} FRM	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Continuous	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Speciation	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
O ₃	<input checked="" type="checkbox"/>	047	Hourly	4/1/2010	<input type="checkbox"/>
PM ₁₀	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
SO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
CO	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Pb	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
TSP	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Metals	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Air Toxics	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Meteorology	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Other(AQI)	<input checked="" type="checkbox"/>	NA	NA		<input type="checkbox"/>

* Method codes are from the EPA Air Quality Database (AQS). Further description can be found in the appendix of the network review or at: (<http://www.epa.gov/ttn/airs/airsaqs/manuals/codedescs.htm>).

Description of any proposed changes:

Quality Assurance

Siting and operation of each monitor meets the requirements of appendices A, C, D, and E of 40 CFR Part 58

Comments:

Site Name: Alliance ArmoryAQS Site ID: **39-151-4005**

Agency: Canton City Health Department Air Pollution Control

Primary QA Org.: Canton City Health Dept., Air Pollution Control

MSA: Canton-Massillon

Address: 1175 West Vine Street, Alliance 44601

Latitude: 40.9314

Longitude: -81.12352



Site description: This is a SLAMS ozone monitoring site measuring the downwind impact of the Canton urban area. It is located at the National Guard Armory in Alliance located 12 miles northeast of Canton. This location setting is suburban and the land use is residential.

Monitoring objective and spatial scale: Monitoring Objective: Population Exposure; Spatial Scale: Urban. To determine downwind concentration for the Canton urban area.

Ambient Air Quality Monitors

Parameter	Currently Operating	Collection Method	Operating Schedule	Monitor Start Date	Proposed Change
PM _{2.5} FRM	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Continuous	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
PM _{2.5} Speciation	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
O ₃	<input checked="" type="checkbox"/>	047	Hourly	5/30/1991	<input type="checkbox"/>
PM ₁₀	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
SO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
NO ₂	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
CO	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Pb	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
TSP	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Metals	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Air Toxics	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Meteorology	<input type="checkbox"/>	NA	NA		<input type="checkbox"/>
Other(AQI)	<input checked="" type="checkbox"/>	NA	NA		<input type="checkbox"/>

* Method codes are from the EPA Air Quality Database (AQS). Further description can be found in the appendix of the network review or at: (<http://www.epa.gov/ttn/airs/airsaqs/manuals/codedescs.htm>).

Description of any proposed changes:

Quality Assurance

Siting and operation of each monitor meets the requirements of appendices A, C, D, and E of 40 CFR Part 58

Comments: