

User ID: GYE

RAW DATA REPORT

Report Request ID: 989512

Report Code: AMP350

May. 4, 2012

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
39		051													

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	12128		
CRITERIA	14129		

SELECTED OPTIONS

Option Type	Option Value
RAW DATA EVENTS	INCLUDE EVENTS
INCLUDE NULLS	YES
DAILY STATISTICS	MAXIMUM
MERGE PDF FILES	YES
UNITS	STANDARD

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

GLOBAL DATES

Start Date	End Date
2006 01 01	2011 12 31

APPLICABLE STANDARDS

Standard Description
Lead 3-Month 2009
Lead Quarterly 1978

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (090) HI-VOL EMISSION SPECTRA ICAP
 REP ORG: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2006

DURATION: COMPOSITE DATA
 UNITS: Micrograms/cubic meter (25 C)
 MIN DETECTABLE: .003

MONTHLY COMPOSITE OF 24-HOUR SAMPLES

	SAMPLE PERIOD	VALUE	EX DATA	NUMBER SAMPLES
Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.	1	.1300		5
	2	.0660		5
	3	.0170		3
	4	.0220		4
	5	.2600		3
	6	.0660		4
	7	.0260		1
	8	.3800		4
	9	.2400		5
	10	.2300		5
	11	.1600		5
	12	.4200		4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (045) HI-VOL EMISSION SPECTRA ICAP (ICP-
 PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2007

DURATION: COMPOSITE DATA
 UNITS: Micrograms/cubic meter (25 C)
 MIN DETECTABLE: .0025

MONTHLY COMPOSITE OF 24-HOUR SAMPLES

SAMPLE PERIOD	VALUE	EX DATA	NUMBER SAMPLES
1	.6900	MD	3
2	.2400	MD	3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (045) HI-VOL EMISSION SPECTRA ICAP (ICP-
 PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2007

DURATION: COMPOSITE DATA
 UNITS: Micrograms/cubic meter (25 C)
 MIN DETECTABLE: .0075

MONTHLY COMPOSITE OF 24-HOUR SAMPLES

	SAMPLE PERIOD	VALUE	EX DATA	NUMBER SAMPLES
	3	.1400		1
	4	.3200		4
	5	.0990		4
	6	.1900		5
	7	.2500		5
	8	.3000		5
	9	.0660		5
	10	.3600		5
	11	.5900		3
	12	.6200		3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (045) HI-VOL EMISSION SPECTRA ICAP (ICP-
 PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2008

DURATION: COMPOSITE DATA
 UNITS: Micrograms/cubic meter (25 C)
 MIN DETECTABLE: .0075

MONTHLY COMPOSITE OF 24-HOUR SAMPLES

	SAMPLE PERIOD	VALUE	EX DATA	NUMBER SAMPLES
Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.	1	.4900		3
	2	.2500		4
	3	.4200		4
	4	.0920		4
	5	.2000		4
	6	.5100		5
	7	.2400		5
	8	.1200		5
	9	.1500		5
	10	.4400		4
	11	.3700		4
	12	.0640		2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (110) HI-VOL ICAP SPECTRA (ICP-MS)
 PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2009

DURATION: COMPOSITE DATA
 UNITS: Micrograms/cubic meter (25 C)
 MIN DETECTABLE: .0075

MONTHLY COMPOSITE OF 24-HOUR SAMPLES

	SAMPLE PERIOD	VALUE	EX DATA	NUMBER SAMPLES
Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.	1	.0930		5
	2	.1400		4
	3	.0770		5
	4	.1700		3
	5	.0570		6
	6	.0150		3
	7	.0800		5
	8	.0550		5
	9	.1300		5
	10	.0350		2
	11	.0890		4
	12	.1200		5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 2
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (110) HI-VOL ICAP SPECTRA (ICP-MS)

PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2009

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1												
2												
3											.3000	.0041
4								.0230	.0130			
5								.1500				
6							.1600					
7												
8												
9										.0510	.1200	
10									.0097	AV		
11								.0760				
12							.0073					
13												
14												
15										.0069	.4400	
16									.0099	AV		
17								.0084				
18							.0140					
19												
20												
21										.0062	.0075	
22								.0340	.0540			
23								.0077				
24							.1500					
25												
26												
27												
28								.5500	AV	AV	.0140	
29								.0410				
30							.0850					
31												
NO.:	0	0	0	0	0	0	5	5	5	2	4	5
MAX:							.1600	.1500	.5500	.0540	.3000	.4400
MEAN:							.08326	.05662	.12532	.03350	.09103	.11712
ANNUAL OBSERVATIONS:	26		ANNUAL MEAN:		.09010		ANNUAL MAX:		.5500			

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(12128) Lead (TSP) STP

SITE ID: 39-051-0001 POC: 3
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office

MONITOR TYPE: QA COLLOCATED

COLLECTION AND ANALYSIS METHOD: (110) HI-VOL ICAP SPECTRA (ICP-MS)

PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2009

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1												
2												
3											.2600	.0042
4								.0200	.0078			
5								.0380				
6							.1500					
7												
8												
9										.0590	.1200	
10								.0099	AV			
11								.1400				
12							.0098					
13												
14												
15										.0087	.4400	
16								.0087	AV			
17								.0710				
18							AQ					
19												
20												
21										.0067	.0074	
22								.0320	.0650			
23								.0062				
24							.1600					
25												
26												
27										AV	.0170	
28								.4700	AV			
29								.0082				
30							.0860					
31												
NO.:	0	0	0	0	0	0	4	5	5	2	4	5
MAX:							.1600	.1400	.4700	.0650	.2600	.4400
MEAN:							.10145	.05268	.10812	.03640	.08360	.11772
ANNUAL OBSERVATIONS:	25		ANNUAL MEAN:		.08822		ANNUAL MAX:		.4700			

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(14129) Lead (TSP) LC

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: MULTIPLE METHODS
 PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2010

DURATION: 24 HOUR
 UNITS: Micrograms/cubic meter (LC)
 MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		.018				.216	.011					
2	.025			.005	.010							
3			.005									
4											.132	.013
5									.013	.013		
6								.449				
7		.006				.024	.070					
8	.078			.013	.014							
9			.013									
10											.019	AV
11								.103	.010	.245		
12												
13		.007				.013	.015					
14	.057			.005	.223							
15			.005									
16											.023	.039
17									.030	.018		
18								.095				
19		.189				.011	.093					
20	.010			.012	.020							
21			.012									
22											BB	.090
23									.061	.022		
24								.008				
25		.070				.023	.017					
26	.228			.011	.049							
27			.011									
28											BB	.014
29									.017	.088		
30								.070				
31							.033					
NO.:	5	5	5	5	5	5	6	5	5	5	3	4
MAX:	.228	.189	.013	.013	.223	.216	.093	.449	.061	.245	.132	.090
MEAN:	.0796	.0580	.0092	.0092	.0632	.0574	.0398	.1450	.0262	.0772	.0580	.0390
ANNUAL OBSERVATIONS:		58		ANNUAL MEAN:	.0551	ANNUAL MAX:	.449					

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(14129) Lead (TSP) LC

SITE ID: 39-051-0001 POC: 1
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (192) Hi-Vol Inductively Coupled Plasma-

PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2011

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1								.268				
2		.060				.054	.049					
3	.035			.022	.013							
4			.008									
5											.010	.003
6									.004	.018		
7								.009				
8		.385				.161	.019					
9	.009			.015	.016							
10			.378									
11											.530	.009
12									.109	.024		
13								.017				
14		.370				.006	.009					
15	.015			.025	.018							
16			.274									
17											.232	.007
18									.006	.036		
19		.023				.018	.140	.031				
20											.090	.005
21	.539			.188	.009							
22			.009									
23												
24									.006	.135		
25								.038				
26		AD				.023	.300					
27	.324			.098	.029							
28			.032									
29											.011	.007
30									.055	.006		
31								.013				
NO.:	5	4	5	5	5	5	5	6	5	5	5	5
MAX:	.539	.385	.378	.188	.029	.161	.300	.268	.109	.135	.530	.009
MEAN:	.1844	.2095	.1402	.0696	.0170	.0524	.1034	.0627	.0360	.0438	.1746	.0062
ANNUAL OBSERVATIONS:		60		ANNUAL MEAN:	.0892	ANNUAL MAX:	.539					

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(14129) Lead (TSP) LC

SITE ID: 39-051-0001 POC: 2
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office
 MONITOR TYPE: QA COLLOCATED
 COLLECTION AND ANALYSIS METHOD: MULTIPLE METHODS
 PQAQ: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2010

DURATION: 24 HOUR
 UNITS: Micrograms/cubic meter (LC)
 MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		.023				.226	.019					
2	.029			AN	.006							
3			.005									
4										.123	.016	
5									.013	.010		
6								.122				
7		.007				.022	.089					
8	.116			AN	.085							
9			.011									
10										.015	AV	
11								.125	.010	.262		
12												
13		.012				.014	.018					
14	.051			.012	.080							
15			.004									
16										.029	.046	
17								.106	.025	.010		
18		.182				.013	.131					
19	.017			.017	.039							
20												
21			AN									
22										.064	.020	BB
23								.008				.120
24												
25		.053				AN	.017					
26	.320			.004	.011							
27			.010									
28											BB	.023
29									.016	.115		
30								.077				
31							.019					
NO.:	5	5	4	3	5	4	6	5	5	5	3	4
MAX:	.320	.182	.011	.017	.085	.226	.131	.125	.064	.262	.123	.120
MEAN:	.1066	.0554	.0075	.0110	.0442	.0688	.0488	.0876	.0256	.0834	.0557	.0513
ANNUAL OBSERVATIONS:		54		ANNUAL MEAN:	.0559	ANNUAL MAX:	.320					

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 4, 2012

(14129) Lead (TSP) LC

SITE ID: 39-051-0001 POC: 2
 COUNTY: (051) Fulton
 CITY: (21616) Delta
 SITE ADDRESS: 200 VAN BUREN
 SITE COMMENTS: MONITOR ON SCAFFOLDING IN PARKING LOT, BUNTING BEARING
 MONITOR COMMENTS:

STATE: (39) Ohio
 AQCR: (177) NORTHWEST OHIO
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7439-92-1
 LATITUDE: 41.575278
 LONGITUDE: -83.996389
 UTM ZONE: 17
 UTM NORTHING: 4606777
 UTM EASTING: 250183
 ELEVATION-MSL: 220
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0808) Ohio EPA, Northwest District Office

MONITOR TYPE: QA COLLOCATED

COLLECTION AND ANALYSIS METHOD: (192) Hi-Vol Inductively Coupled Plasma-

PQAO: (0808) Ohio EPA, Northwest District Office

REPORT FOR: 2011

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: .0075

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1								.245				
2		.056				.047	.037					
3	.027			.018	.006							
4			.011									
5											.008	.003
6									.004	.020		
7								.015				
8		.421				.165	.015					
9	.008			.014	.011							
10			.479									
11											.491	.010
12									.089	.022		
13								.016				
14		.350				.008	.015					
15	.019			.017	.007							
16			.403									
17											.218	.008
18									.006	.040		
19		.027						.029				
20						.019	.143					
21	.494			.088	.023							
22			.010									
23											.086	.006
24									.006	.124		
25								.029				
26		AD				AZ	.271					
27	.497			.069	.026							
28			AZ									
29											.008	AZ
30									AZ	.007		
31								.010				
NO.:	5	4	4	5	5	4	5	6	4	5	5	4
MAX:	.497	.421	.479	.088	.026	.165	.271	.245	.089	.124	.491	.010
MEAN:	.2090	.2135	.2258	.0412	.0146	.0598	.0962	.0573	.0263	.0426	.1622	.0068
ANNUAL OBSERVATIONS:		56		ANNUAL MEAN:	.0947	ANNUAL MAX:	.497					

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

QUALIFIER CODES:

Qualifier Code	Qualifier Description	Qualifier Type
AD	Shelter Storm Damage	NULL
AN	Machine Malfunction	NULL
AQ	Collection Error	NULL
AV	Power Failure	NULL
AZ	Q C Audit	NULL
BB	Unable to Reach Site	NULL
MD	Value less than MDL	QA

Note: Qualifier codes with regional concurrence are shown in upper case,
and those without regional concurrence are shown in lower case.