

**3745-69-02 Waste analysis and trial tests.**

- (A) In addition to the waste analysis required by rule 3745-65-13 of the Administrative Code, whenever:
- (1) A hazardous waste which is substantially different from waste previously treated in a treatment process or equipment at the facility is to be treated in that process or equipment, or
  - (2) A substantially different process than any previously used at the facility is to be used to chemically treat hazardous waste;

The owner or operator shall, before treating the different waste or using the different process or equipment:

- (a) Conduct waste analyses and trial treatment tests (e.g., bench scale or pilot plant scale tests); or
- (b) Obtain written, documented information on similar treatment of similar waste under similar operating conditions;

To show that this proposed treatment will meet all applicable requirements of paragraphs (A) and (B) of rule 3745-69-01 of the Administrative Code.

- (B) As required by rule 3745-65-13 of the Administrative Code, the waste analysis plan shall include analyses needed to comply with rules 3745-69-05 and 3745-69-06 of the Administrative Code. As required by rule 3745-65-73 of the Administrative Code, the owner or operator shall place the results from each waste analysis and trial test, or the documented information, in the operating record of the facility.

Effective: 01/07/1983  
119.032 review dates: Exempt  
Promulgated under: 119.03  
Statutory authority: 3734.12  
Rule amplifies: 3734.12  
Prior effective dates: 04/15/1981