



State of Ohio Environmental Protection Agency

Northwest District Office

347 North Dunbridge Road
Bowling Green, OH 43402-9398

TELE: (419) 352-8461 FAX: (419) 352-8468
www.epa.state.oh.us

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

May 2, 2008

Mr. Edward Irelan, Manager of Operations
Hoffman Road Landfill
3962 Hoffman Road
Toledo, Ohio 43611

**Re: City of Toledo Hoffman Road Landfill, Lucas County, Ohio
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(b) Approval**

Dear Mr. Irelan:

On March 17, 2008, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled "*Alternate Source Demonstration For Ammonia in Monitoring Wells MW-16 and MW-11,*" dated March 13, 2008, for the City of Toledo's Hoffman Road Landfill (Facility), located in Lucas County. This document was submitted by Hull & Associates, Inc. on behalf of the City of Toledo and included a request pursuant to Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(b) to reinstate ground water detection monitoring for specific wells at the Facility and to release the owner or operator from the obligation to comply with the ground water quality assessment program implemented due to statistically significant changes for ammonia in monitoring wells MW-16 and MW-11.

Pursuant to OAC Rule 3745-27-10(E)(9)(b), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or from natural variation in ground water quality and request that the director approve reinstatement of the detection monitoring program.

The March 13, 2008 document concluded that the statistically significant changes for ammonia in monitoring wells MW-16 and MW-11 were due to natural variation in ground water quality, and not as a result of impact from the landfill. Ohio EPA has reviewed the applicable information and concurs with this conclusion. Therefore, pursuant to OAC Rule 3745-27-10(E)(9)(b), I hereby approve reinstatement of the ground water detection monitoring program for the monitoring wells in the ground water quality assessment monitoring program, noted above, and release the owner or operator from the obligation to comply with this assessment monitoring program at the Facility. This approval of reinstatement of the detection monitoring program applies to monitoring wells MW-16 and MW-11.

Mr. Edward Irelan, Manager of Operations

Page 2

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.

You are hereby notified that this action of the Director of Ohio EPA (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Kimberly Burnham of Ohio EPA, NWDO at (419) 373-3049.

Sincerely,

Shannon Nabors, Chief
Northwest District Office
for Chris Korleski, Director

pc: Jodi Vaughan, Toledo-Lucas County Health Department
Karen Okonta, Hull & Associates, Inc.
Mike Beal, DDAGW, NWDO
Jack Leow, DDAGW, NWDO
Kimberly Burnham, DSIWM, NWDO