



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

Waste Management
Attn: Mr. Frank Fello
3415 Twp. Rd #447
Glenford, OH 43739

**RE: Stony Hollow RDF, Montgomery County
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Fello,

On June 17, 2008 the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Southwest District Office (SWDO), received a document titled "2008 First Semiannual Ground Water Report and Demonstration Approval Requests for MW-3R, MW-4R, MW-6R MW-8RR, MW-9S, MW-12PS, and MW-12R " This document was submitted by Eagon & Associates, Inc., on behalf of Stony Hollow RDF and contains the ground water sampling results and the statistical analysis from the March 31st - April 2, 2008 semiannual ground water sampling event at the Facility. Resampling occurred May 20-21, 2008.

According to the document, analysis of the ground water detection monitoring data indicated that the following statistically significant changes were detected: chloride in MW-3R, MW-8RR, MW-9S, and MW- 12R, and for sodium in MW-4R, MW-9S, MW-12R and MW-12PS, and for iron in MW-6R, and for barium in MW-8RR.

Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the landfill caused the contamination, or that the statistically significant increase over background resulted from error in sampling, analysis, statistical evaluation, or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring within two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

The June 17, 2008 document concluded that the statistically significant changes for chloride in MW-3R, MW-9S, MW-8RR and MW- 12R and for sodium in MW-4R, MW-9S, MW-12R and MW-12PS and for iron in MW-6R and for barium in MW-8RR, were due to natural variation in ground water quality, and not as a result of impact from the

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

landfill. Monitoring wells MW-3R, MW-9S, MW-8RR, MW-12R, MW-4R, MW-12PS, and MW-6R were originally sampled on March 31st - April 2, 2008.

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the June 17, 2008 document for chloride in MW-3R, MW-9S, MW-8RR and MW-12R and for sodium in MW-4R, MW-9S, MW-12R and MW-12PS and for iron in MW-6R and for barium in MW-8RR. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring wells MW-3R, MW-9S, MW-12R, MW-4R, MW-12PS, MW-6R, and MW-8RR. Should future or existing ground water sampling results indicate statistically significant changes in the ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E), or obtain approval to remain in detection monitoring program.

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeal Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street Room 222
Columbus, Ohio 43215

If you have any questions, concerning this letter, please contact Betty Arthungal of the Ohio EPA, SWDO at (937) 285-6357.

Sincerely,

Thomas A. Winston, P.E.
Chief, Southwest District Office
for Chris Korleski
Director, Ohio Environmental Protection Agency

cc: Tracy Buchanan, DSIWM-SWDO
Paul Stuart, Montgomery County Health Department
Jay Cavender, Ohio EPA, SWDO, DDAGW