

### 3745-30-01 Definitions.

If a term used in this chapter is defined in rule 3745-27-01 of the Administrative Code, the definition of the term used in rule 3745-27-01 of the Administrative Code is applicable to this chapter unless the term is defined in this rule. As used in this chapter:

(A) [Reserved.]

(B) [Reserved.]

(C) [Reserved.]

(D) [Reserved.]

(E) [Reserved.]

(F) "Foundry sand" means pure sand or a mixture of sand and any additives necessary for use of the sand in the foundry process, including dusts and sludges from air pollution control equipment exclusively dedicated to sand processing and handling, but not including such foundry process by-products as other air pollution control dusts or sludges, wastewater treatment plant sludge, or refractories.

(G) [Reserved.]

(H) [Reserved.]

(I)

(1) "Industrial or manufacturing waste" or "IMW" is a type of solid waste and means the following:

- (a) Wastes generated by fuel burning operations which are regulated by rule 3745-17-10 of the Administrative Code and which burn as fuel primarily coal including air pollution control wastes, water pollution control wastes, and other wastes with similar characteristics that are approved by the director.
- (b) Wastes generated from foundry operations including air pollution control dust, water pollution control wastes, unspent foundry sand, spent foundry sand, and other foundry wastes with similar characteristics that are approved by the director.
- (c) Wastes generated from pulp and papermaking operations including water pollution control wastes, lime mud, lime grit, sawdust, wood chips, bark, hydropulper rejects, and other pulp and papermaking wastes with similar characteristics that are approved by the director.
- (d) Wastes generated from steelmaking operations including air pollution control dust, water pollution control wastes, dust from steel processing and finishing operations, water softening sludge, flux material, and other steelmaking wastes with similar characteristics that are approved by the director.
- (e) Wastes generated from gypsum processing plant operations including gypsum wallboard waste, paper surface preparation dust, water pollution control wastes, and other gypsum processing wastes with similar characteristics that are approved by the director.
- (f) Wastes generated from lime processing operations including air pollution control dust or sludge and other lime processing wastes with similar characteristics that are approved by the director.

(g) Wastes generated from portland cement operations including air pollution control dust and other processing wastes with similar characteristics that are approved by the director.

(h) Wastes generated by manufacturing or industrial operations, other than those listed in paragraphs (I)(1)(a) to (I)(1)(g) of this rule. These solid wastes do not include solid waste generated by commercial operations including stores, offices, restaurants, and warehouses; agricultural operations; or community operations including residents, hotels, motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds, and day-use recreation areas.

(2) "Industrial landfill facility" or "industrial landfill" is a sanitary landfill facility where one or any combination of IMW specified in paragraph (I)(1) of this rule are exclusively disposed. Nontoxic fly ash, nontoxic bottom ash, and nontoxic spent foundry sand may also be disposed at an industrial landfill facility.

[Comment: Prior to the effective date of this rule, industrial solid waste, regulated pursuant to Chapter 3745-29 of the Administrative Code, was disposed in a landfill meeting standards largely equivalent to an industrial landfill.]

(J) [Reserved.]

(K) [Reserved.]

(L) "Licensing authority" means the approved board of health or in the absence of an approved board of health, the director.

(M) [Reserved.]

(N) [Reserved.]

(O) [Reserved.]

(P) [Reserved.]

(Q) [Reserved.]

(R) "Residual landfill facility" or "residual landfill" is a sanitary landfill facility where one or any combination of IMW specified in paragraph (I)(1) of this rule that meets the criteria specified in rule 3745-30-03 of the Administrative Code are exclusively disposed. Nontoxic fly ash, nontoxic bottom ash, and nontoxic spent foundry sand may also be disposed at a residual landfill facility.

[Comment: Prior to the effective date of this rule, this chapter had established four landfill classes for the disposal of residual solid waste. As of the effective date of this rule, all operating residual waste landfills are Class III landfills.]

(S) "Spent" as used in spent foundry sand means any material that has been used and as a result of degradation or contamination can no longer serve the purpose for which it was produced without processing.

Effective: 5/28/2021

Five Year Review (FYR) Dates: 11/5/2020 and 05/28/2026

CERTIFIED ELECTRONICALLY

---

Certification

05/14/2021

---

Date

Promulgated Under: 119.03  
Statutory Authority: 3734.02  
Rule Amplifies: 3734.02  
Prior Effective Dates: 01/13/1992, 08/15/2003