

\*\*\* DRAFT - NOT YET FILED \*\*\*

3745-5-09

**Determining water quality baselines.**

(A) For permittees in an area where there is an approved TMDL, the water quality baseline shall be the lower of:

- (1) The wasteload allocation established by the approved TMDL; or
- (2) The current discharge level.

(B) For permittees in an area where there is not an approved TMDL or where water quality fully supports designated uses assigned in Chapter 3745-1 of the Administrative Code, the water quality baseline shall be the lower of:

- (1) The existing water quality based effluent limit;
- (2) A technology-based performance standard; or
- (3) The current discharge level.

(C) For nonpoint sources, the water quality baseline shall be the pollutant load associated with existing land uses and management practices. Existing management practices must comply with any applicable federal, state or local requirements and shall:

- (1) Be established by using an accurate, representative, and reliable process and operational information, available flow and monitoring data, pollutant loading data, and records that are available, and that are deemed acceptable by the director; and
- (2) Unless otherwise specified in this chapter, be established using information and data representative of the three year period before the date that a change is made to generate a pollutant load reduction. A different time period, such as the previous full crop rotation history, that is representative of historical operations and provides accurate and reliable data on existing pollutant loads may be used if certified by a qualified soil and water conservation professional or deemed acceptable by the director.

(D) For storm water sources regulated under an NPDES permit, the water quality baseline shall be:

- (1) The numeric effluent limit, if one is established in the NPDES permit; or

- (2) The pollutant-specific loading achieved after implementation of management practices specified in or approved under the NPDES permit.
- (E) The director may consider data and information submitted as part of a water quality trading management plan application that supports the use of alternate methods of setting baselines, provided that:
- (1) The data is established using information representative of a three year period;  
and
  - (2) The data is established using accurate, representative, and reliable process and operational information, available flow and monitoring data, pollutant loading data, and records that are available and that are deemed acceptable by the director.

R.C. 119.032 review dates:

---

Certification

---

Date

Promulgated Under:	119.03
Statutory Authority:	6111.03, 6111.04
Rule Amplifies:	6111.03, 6111.04
Prior Effective Dates:	1/1/2007